

# OCTOPUS

# FLEXIBLE COUPLINGS



Octopus Plumbing has launched a wide, new range of metal banded flexible couplings to help solve many common plumbing problems. All couplings are fully AS/NZS 4327 approved. They are constructed from Type A PVC and are fitted with stainless steel hose clamps (316SS) so they are ready to go. All the common domestic pipe sizes are covered, from 32-150mm. The large range consists of regular PVC couplings, plus adapter couplings, clay couplings, tees, elbows, caps and more.

## REGULAR PVC COUPLINGS

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RC32	Flexible Coupling 32mm	31-40	12
RC40	Flexible Coupling 40mm	40-48	24
RC50	Flexible Coupling 50mm	50-61	20
RC65	Flexible Coupling 65mm	63-73	8
RC80	Flexible Coupling 80mm	75-86	8
RC90	Flexible Coupling 90mm	83-93	12
RC100	Flexible Coupling 100mm	100-114	12
RC150	Flexible Coupling 150mm	155-166	2



## ADAPTER/REDUCER COUPLINGS

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RC50x32	Flexible Coupling 50mm x 32mm	50-59, 32-40	8
RC50x40	Flexible Coupling 50mm x 40mm	50-59, 40-49	8
RC80x50	Flexible Coupling 80mm x 50mm	75-86, 50-59	6
RC100x80	Flexible Coupling 100mm x 80mm	100-114, 75-86	6
RC100x90	Flexible Coupling 100mm x 90mm	100-114, 83-94	6
RC150x100	Flexible Coupling 150mm x 100mm	155-166, 100-114	2



## PVC-CLAY COUPLINGS

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RCC100	Flexible Coupling PVC-EW 100mm x 100mm	135-142, 105-115	6
RCC150	Flexible Coupling PVC-EW 150mm x 150mm	190-198, 155-165	2
RCC150x100	Flexible Coupling PVC-EW 150mm x 100mm	190-198, 105-115	2



## FLEXIBLE TEES

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RT40	Flexible Tee 40mm x 40mm	40-48	4
RT50	Flexible Tee 50mm x 50mm	50-59	3
RT80	Flexible Tee 80mm x 80mm	75-87	2
RT100	Flexible Tee 100mm x 100mm	100-115	2



## FLEXIBLE ELBOWS

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RE40	Flexible Elbow 40mm x 40mm	40-49	4
RE50	Flexible Elbow 50mm x 50mm	50-59	4
RE80	Flexible Elbow 80mm x 80mm	76-86	3



## DRAIN AND TRAP CONNECTORS

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RDC40x32	Drain and Trap Connector 40mm x32mm	40-48, 30-38	14
RDC50x40	Drain and Trap Connector 50mm x32/40mm	50-59, 32-38	8



## TUBULAR DRAIN CONNECTOR

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RTDPC	Drain Connector 40mm/32mm combo	30-40	15



## DISHWASHER DRAIN CONNECTOR

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RDWC	Dishwasher Drain Connector	15-23, 10-16	10



## FLEXIBLE PIPE CAPS

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RPC40	Flexible Pipe Cap 40mm	40-48	10
RPC50	Flexible Pipe Cap 50mm	51-61	8
RPC80	Flexible Pipe Cap 80mm	75-86	6
RPC100	Flexible Pipe Cap 100mm	100-114	8



## TORQUE WRENCH

PRODUCT CODE	DESCRIPTION	PIPE SIZE (MM)	PACK SIZE
RTQW	Tightens to 6.7Nm torque	n/a	8



## BENEFITS

- A versatile, easy and fast solution to many drain, waste and vent plumbing problems
- Ideal for emergency repairs
- Ideal for working in confined spaces
- Easy way to connect misaligned pipes
- Can be reused
- Shelf-ready boxes for easy display
- Wide range to suit most applications and sizes
- New products not previously available in Australia
- No special tools required – just use a screw driver or torque wrench

## APPLICATIONS

Can be used on a variety of pipe materials, including PVC, copper, cast iron, clay, asbestos cement, fibreglass and steel.

Can be used with either similar sized pipes or different sized pipes, using adapter couplings.

Leak-proof and impervious to tree roots - plus resistant to chemicals, ultraviolet rays, gases in sewers and fungal growth

Can be used in under- or above-ground applications

**Max temp:** 38°C continuous or 60°C intermittent

**Note:** Not suitable for potable water



[www.octopusplumbing.com.au](http://www.octopusplumbing.com.au)  
[enquiries@partnerpacific.com](mailto:enquiries@partnerpacific.com)



AS/NZS 4327  
WMKT 22153  
TYPE A



138-140 Bayfield Rd East  
North Bayswater, VIC 3153  
Ph 03 9720 4333 / Fx 03 9720 4344